

September 26, 2019

Mr. Bruce Weber Planning/Zoning Office Town of Cortlandville 3577 Terrace Road Cortland, NY 13045

RE: Conditional Permit Application, Area Variance Application

Used Car King - Sun Auto Cortland - 3861 West Rd Rte. 281

Tax Map No. 86.17-01-11.1 CHA Project No. 058214

Dear Mr. Weber:

CHA Consulting, Inc., on behalf Used Car King, LLC (Owner/Applicant), is pleased to submit the enclosed Conditional Permit and Area Variance Applications as it relates to a proposed exterior improvements project for the above referenced site. The proposed modifications on this lot include site signage, pavement removal and landscaping improvements, and proposed pavement and striping. The Owner is seeking an Area Variance for the project that proposes greater than 500 sf of impervious installation. The site modifications will result in less than 50% greenspace coverage in the Wellhead Protection Zone 1a. The variance is requested primarily to provide safe, internal vehicle and pedestrian traffic circulation between site and the newly acquired adjacent parcel without the need to travel onto Route 281. The proposed light pole sign banners will enhance the aesthetics of the parking lot and bring cohesiveness between the two adjacent lots. The signage updates are consistent with the latest brand requirements the Used Car King stores. Area Variance request specifics are attached to the application form.

The following items are included with this permit package:

- Conditional Permit Application
- Area Variance Application
- Short Environmental Assessment Form
- Zoning Referral Form
- Civil Site Plans "Proposed Parking Lot Modifications" by CHA, dated 09/26/2019
- Check for Fees: \$350 (\$250 Conditional Permit, \$100 Area Variance)

Should you have any questions related to the submission, please do not hesitate to contact me at 315-471-3920 or avitale@chacompanies.com

Sincerely,

CHA Consulting, Inc.

Anthony Vitale Senior Engineer V

Enclosures

Cc: Mr. Daniel King (Owner)

TOWN OF CORTLANDVILLE 3577 TERRACE ROAD CORTLAND, NEW YORK 13045-3552

APPLICATION FOR CONDITIONAL PERMIT

APPLICANT	
Name UCK Three, LLC	Fee Paid
Address 8010 Brewerton Road	Phone (315) 698-6808
Cicero, NY 13039	
PROPERTY OWNER	
Name Same as Applicant	Phone
Address	
PROPERTY INFORMATION	
Location of property 3861 Rt. 281	
Tax Map No. of Parcel 86.17-01-11.1	
Rt. 281, Cortland, NY 13045 by removing asphalt. Light post sign banners are proportional transfer of the control of the contr	YESNO existing parking lots of 3861 Rt. 281 and 384 an existing grass area and replacing with
Cortlandville Zoning Law.	
DATE OF APPLICATION 09/20/2019	Signature of Applicant
	Zoning Officer
	Planning Board Chairperson
PERMIT GRANTED	
PERMIT DENIED	

TOWN OF CORTLANDVILLE 3577 TERRACE ROAD CORTLAND, NY 13045

ZONING BOARD OF APPEALS AREA VARIANCE FINDINGS & DECISION

Applicant: UCK Three, LLC	Phone#:_(315) 698-6808
Address: 8010 Brewerton Road, Cicero, NY 13	039 Fee:
Property Owner: Same as Applicant	
Appeal Concerns Property at the following address Tax Map #: 86.17-01-11.1	: 3861 West Rd Rte. 281, Cortland, NY 13045
Zoning District Classification: B-3	
	ne 50% greenspace in Wellhead Protection Zone 1a. eight, 15 ft property line setback. SWPPP Report.
	78-2.2, Article XVIII 178-113, Article XVI 178-90 C.1
Signature:	Date: 09/20/2019
TEST: No area variance will be granted without a co	
Whether an undesirable change would be detriment to nearby properties: Yes	•
Reason: Please see attached.	
-	
 Whether benefit sought by applicant can b YesNoX 	e achieved by feasible alternative to the variance:
Reason: Please see attached.	

Zoning Board of Appeals Area Variance Findings & Decision

3.	Whether the requested variance is substantial: YesNoX_
	Reason: Please see attached.
4.	neighborhood: YesNo_X
	Reason: Please see attached.
5.	Whether the alleged difficulty was self-created: YesNo_X_
	Reason: Please see attached.
DETER	MINATION OF ZBA BASED ON THE ABOVE FIVE FACTORS:
The ZB	A, after taking into consideration the above five factors, finds that:
Comm	_ The Benefit to the Applicant DOES NOT outweigh the Detriment to the Neighborhood or unity and therefore the variance request is denied.
	_ The benefit to the Applicant DOES outweigh the Detriment to the Neighborhood or Community
Reasor	1:

Area Variance Findings & Decision Application

Project Site: 3861 West Road Lot 11.1

Variance Requests:

- Less than the 50% greenspace in Wellhead Protection Zone 1a. Any change in the size of an existing building, structure, parking lot and/or driveway that is 500 square feet or more shall result in a reduction of the amount of the parcel's impervious surface by 5%.
- Light pole banner signs: sign area, 8 ft height, 15 ft property line setback.
- SWPPP Report Preparation. Development projects or subdivisions which result in less than one acre of land disturbance, and which result in an increase in impervious surface less than 10,000 square feet, and which result in a total impervious surface less than 35% of the total post development lot area.

1. Character of Neighborhood:

The parking lot improvements that result in a post-development impervious area greater than 50% will not detract from the character of the neighborhood. The driveway connection will unify the two sites into one and will increase the impervious area 2% (from 55% to 57% or 5,465 sf) on this parcel. The Route 281 corridor is a commercial corridor that is heavily developed, and this project is consistent with existing land uses and site conditions in the corridor. The project is also proposing to remove pavement in the right-of-way which has not been included in the overall lot coverage calculations.

The proposed banner signs are required for continued brand compliance. They will enhance the aesthetics of the parking lot and bring cohesiveness between the two adjacent lots, now under one dealership.

Although, the current site exists at over 35% impervious area, the proposed improvements of only 3,920 square feet of new pavement for the total project is less than 10,000 square feet of new impervious and land disturbance will be less than one acre. The current site has existing structural stormwater BMPs (best management practices) in place and will be utilized to control the minimal increase in stormwater from this project. The Route 281 corridor is heavily developed with closed drainage systems and this project will continue to maintain the stormwater drainage system on site to control pollutants from entering the groundwater.

2. Feasible Alternative:

Multiple design iterations were created to minimize the increase in impervious area and still provide a logical paved connection between the two lots that is currently lacking. Existing pavement is also being removed where it is not needed. This design reduces the impacts and maximizes the internal circulation of vehicles between the two properties without having the need to enter and exit onto Route 281. The project will add to the overall internal vehicle and pedestrian circulation. The proposed closing of one of the curb cuts onto Route 281 will

alleviate traffic congestion on Route 281 entering and exiting the site as there where two curb cut in close proximity to each other.

The light pole banner signs are required for brand compliance. The style and size of the banner signs provides a proportional sign area that is visually effective without being overpowering to the size and scale of the light poles and parking lot area. The mounting heights are based upon standard guidelines and lower mounting height would hinder placement of display vehicles in the parking lot.

The project has a minimal increase in impervious square footage for an existing developed site, and minimal land disturbance with negligible impacts to the current or future stormwater management. As part of construction, the project will include standard erosion and sediment control practices (BMPs).

3. Requested Variance is Substantial:

The requested greenspace variance is not substantial. The impervious area for this lot will be increased by only 2% and the overall project will only increase total impervious area by 1% for both lots. A portion of pavement on this lot will be removed and revegetated. The project is also proposing to remove pavement in the right-of-way which has not been included in the overall lot coverage calculations.

The light pole banner signs are required for brand compliance and will only add to the aesthetics of the site, parking lot, and create a softer commercial feel to the site. The banners will effectively utilize existing light poles on this site.

The small increase in pavement is not substantial and standard erosion and sediment control practices (BMPs) will be put into place during construction. The need for a SWPPP report for the small increase in pavement on the existing developed site will not provide substantially different results.

4. Adverse Physical or Environmental Impact:

The total proposed amount of pavement to make the paved connection between the lots is minor and will have little to no effect on the physical or environmental conditions of the neighborhood and is in keeping with the elements of the corridor.

The proposed light pole banner signs will enhance the aesthetics of the parking lot and utilize existing light poles.

The small increase in pavement is not substantial and stormwater management BMPs and standard erosion and sediment control practices (BMPs) either currently exist on the site or will be put into place during construction to control erosion and sedimentation and will facilitate the removal of pollutants in stormwater runoff to maintain groundwater quality.

5. Difficulty was self-created:

The existing project site is a developed and functioning car dealership with less than 50% greenspace. By acquiring the adjacent parcel, which also was a car dealership, the addition of a paved connection provides internal access which does not exist. By adding the connection, the project can provide internal circulation that is currently lacking and would cause vehicles to enter and exit onto Route 281 in order to access each site. Also, the closing of a curb cut to Route 281 will provide access management along Route 281 and limit the number of driveways to the site, which provides for safer vehicle and pedestrian movements.

The light pole banner signs are required for brand compliance and will unify the two adjacent sites to create an appealing and active commercial site at a key intersection in the Town.

After many iterations, the design with the least environmental impact and smallest effective impervious area to make a useful paved connection was chosen and presented on the plans.

Short Environmental Assessment Form Part 1 - Project Information

Instructions for Completing

Part 1 – Project Information. The applicant or project sponsor is responsible for the completion of Part 1. Responses become part of the application for approval or funding, are subject to public review, and may be subject to further verification. Complete Part 1 based on information currently available. If additional research or investigation would be needed to fully respond to any item, please answer as thoroughly as possible based on current information.

Complete all items in Part 1. You may also provide any additional information which you believe will be needed by or useful to the lead agency; attach additional pages as necessary to supplement any item.

Part 1 – Project and Sponsor Information		
Name of Action or Project:		
Parking Lot Modification		
Project Location (describe, and attach a location map):		
3861 West Road, Cortland, NY 13045, Lot 11.1		
Brief Description of Proposed Action:		
Site improvements including but not limited to paving, striping, and additional signage. The p 3861 and 3845 West Road (Rte 281) for internal site vehicle and pedestrian circulation.	roject proposes to make a pa	aved connection between
Name of Applicant or Sponsor:	Telephone: 315-471-392	
UCK THREE, LLC / CHA CONSULTING, INC. (c/o James Trasher)	E-Mail: jtrasher@chacor	mpanies.com
Address:		
8010 Brewerton Road	T =	
City/PO: Cicero	State:	Zip Code:
Does the proposed action only involve the legislative adoption of a plan, loca		1
administrative rule, or regulation?		NO YES
If Yes, attach a narrative description of the intent of the proposed action and the emay be affected in the municipality and proceed to Part 2. If no, continue to questions are the proposed action and the emay be affected in the municipality and proceed to Part 2.		hat
2. Does the proposed action require a permit, approval or funding from any other	er government Agency?	NO YES
If Yes, list agency(s) name and permit or approval:		
3. a. Total acreage of the site of the proposed action? b. Total acreage to be physically disturbed? c. Total acreage (project site and any contiguous properties) owned or controlled by the applicant or project sponsor?	5.23 acres 0.15 acres 6.55 acres	
4. Check all land uses that occur on, are adjoining or near the proposed action: 5. ☐ Urban ☐ Rural (non-agriculture) ☐ Industrial ☑ Commercial ☐ Forest ☐ Agriculture ☐ Aquatic ☐ Other(Special ☐ Parkland		rban)

Page 1 of 3 SEAF 2019

5.	Is the proposed action,	NO	YES	N/A
	a. A permitted use under the zoning regulations?		V	
	b. Consistent with the adopted comprehensive plan?		V	
6.	Is the proposed action consistent with the predominant character of the existing built or natural landscape?)	NO	YES
Ç.	as the proposed action consistent with the predominant character of the chasting cant of material annual annual pro-			v
7.	Is the site of the proposed action located in, or does it adjoin, a state listed Critical Environmental Area?		NO	YES
If Y	es, identify:			~
			NO	
8.	a. Will the proposed action result in a substantial increase in traffic above present levels?		NO	YES
	b. Are public transportation services available at or near the site of the proposed action?		V	旹
	c. Are any pedestrian accommodations or bicycle routes available on or near the site of the proposed action?			V
9.	Does the proposed action meet or exceed the state energy code requirements?		NO	YES
If the	e proposed action will exceed requirements, describe design features and technologies:			
				V
·———				
10.	Will the proposed action connect to an existing public/private water supply?		NO	YES
	If No, describe method for providing potable water:			
			Ш	~
11.	Will the proposed action connect to existing wastewater utilities?		NO	YES
	If No, describe method for providing wastewater treatment:			
12.	a. Does the project site contain, or is it substantially contiguous to, a building, archaeological site, or district	 ct	NO	YES
whic	ch is listed on the National or State Register of Historic Places, or that has been determined by the numissioner of the NYS Office of Parks, Recreation and Historic Preservation to be eligible for listing on the		~	
	e Register of Historic Places?	,		
arch	b. Is the project site, or any portion of it, located in or adjacent to an area designated as sensitive for aeological sites on the NY State Historic Preservation Office (SHPO) archaeological site inventory?			
	a. Does any portion of the site of the proposed action, or lands adjoining the proposed action, contain		NO	YES
	wetlands or other waterbodies regulated by a federal, state or local agency?		~	
	b. Would the proposed action physically alter, or encroach into, any existing wetland or waterbody?		~	
If Y	es, identify the wetland or waterbody and extent of alterations in square feet or acres:			

☐ Shoreline ☐ Forest ☐ Agricultural/grasslands ☐ Early mid-successional		
☐ Wetland ☐ Urban ☐ Suburban		
15. Does the site of the proposed action contain any species of animal, or associated habitats, listed by the State or	NO	YES
Federal government as threatened or endangered?	1	
16. Is the project site located in the 100-year flood plan?	NO	YES
		V
17. Will the proposed action create storm water discharge, either from point or non-point sources?	NO	YES
If Yes,		V
a. Will storm water discharges flow to adjacent properties?	~	100474
b. Will storm water discharges be directed to established conveyance systems (runoff and storm drains)? If Yes, briefly describe:		V
11 Tes, bitetly describe.		
18. Does the proposed action include construction or other activities that would result in the impoundment of water	NO	YES
or other liquids (e.g., retention pond, waste lagoon, dam)? If Yes, explain the purpose and size of the impoundment:	7,-	
11 1 cs, exprain the purpose and size of the impoundment.	~	
19. Has the site of the proposed action or an adjoining property been the location of an active or closed solid waste management facility?	NO	YES
If Yes, describe:		
<u> [2] [4] [4] [4] [4] [4] [4] [4] [4] [4] [4</u>	~	
20. Has the site of the proposed action or an adjoining property been the subject of remediation (ongoing or	NO	YES
completed) for hazardous waste? If Yes, describe:	, , , , , , , , , , , , , , , , , , ,	
에 있습니다. 그런 함께 구성하는 그는 그는 것으로 보고 있는 것을 보고 있다. 이 생각에 가장 생각이 되었습니다. 그는 그는 그는 그는 것을 모르는 것으로 되었습니다. 그는 것으로 보고 있습니다. 15일 하나 10 - 10 1일	~	
I CERTIFY THAT THE INFORMATION PROVIDED ABOVE IS TRUE AND ACCURATE TO THE BES	ST OF	
MY KNOWLEDGE	,	
Applicant/sponsor/name: 1) April 1 (1966) Date: 09/20/	2019	<u>, </u>
Signature: Title: COO		

GENERAL MUNICIPAL LAW

Zoning Referral Form

Conditional Permits, Special Permits, Site Plan Reviews & Variances

Director		GML No. 86.17-01-11.1 (Tax Map Number)	
37 Church St. Cortland, NY 130		00/40/0040	
Telephone: (607) 753- Fax: (607) 753-		Date: <u>09/16/2019</u>	
Submitting Officer:	Bruce Weber, Planning & Zonin	g Officer	
Municipality:	Town of Cortlandville		
Mailing Address:	3577 Terrace Road, Cortland,	NY 13045	
Phone Number:	(607) 756-7052	Fax Number: (607) 758-79	22
	Type of	Referral	
The applicant reque	est the following:	Section 2.2 113 90 C.1	
variance	Bulk – Article <u>178</u> Use – Article	Section Section	
	Article	Section	
	Article178		
		Section 31	
Site Plan Review:	Article	Section	
Reason(s) for reque	est:		
		·	_
	W-4		_
nvironmental Qual Inlisted actions.	lity Review Act? Attach required of	, or unlisted action under the State environmental assessment forms for Type I and	
<u>I he</u>	following information is required	for your application to be complete:	
. Name of petition	er: UCK Three, LLC		_
Owners name (if	different):		
			_

File Name: pln/wpdata/forms/Zoning Referral Form.05/03/05 [Conditional Permits.Special Permits.Site Plan Reviews.Variances]

Address: 8010 Brewerton	Road		
State: New York	Zip; <u>13039</u>		
Phone Number: (315) 6	98-6808	Fax Number:	
2. A Site Plan Map show	ing:		
larger than 1 acre) b. North Arrow c. Physical Character d. Layout Plan Showi e. Surface and Subsu f. Location of County General Municipal g. Location Map at 1"=200 (1) zoning class (2) surrounding		oosed (Topography able utilities ated with Layout P ection 239 l, m and	y, Water and Vegetation) lan
A certified Tax Map from property lines of the appropriate the appropriate to the ap	m the Cortland County Office oplicant's property.	of Real Property a	nd Assessment showing the
4. Availability of public uti	lities and services:		
	strict B-3; Sewer		
	District B-3	•	ction <u>YES</u>
	ed:n n to municipal master plan?	VE0	not why?
	n to county land use plan?		not why?
	,		iot why?
·	d Enlarged City School District		
8. Projected energy consi	umption:	Ty	/pe:
9. Traffic generation (exp	ected vehicle departures and a	arrivals per 24 hou	r period) : No change
	ne name and address of the Na eparing the seal and map.	.Y.S. licensed eng	ineer or land surveyor
Signature an	d Title of Submitting Official		

(REVISED: 8/01)

CHECK	VENDOR		VE	NDOR NAME		CHECK DATE
222020	112664	TOWN OF COL	RTLANDVIILE		A Section of the Control of the Cont	9/20/201
INVOICE	INVOICE DATE	INVOICE AMOUNT	DISCOUNT	AMOUNT PAID	MEMO IN	FORMATION
	9/20/2019	350.00	.00	350.00	PERMIT	and the state of t
		a <u>a</u>				
	a ser ser	N 4 8	g g			
			1	10		
			H 15 2 2		1 2	
	100	- 11 F				
		25 AV 25		7 a a	8	
	8 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.8.4. 8.6				
					*	
87 E	2 18 8%		, 1 A			
8 8		- a			8 8 8 8	
1 m				W T B	F 1 5 5 5	
		2 8	20.0			
			a ² a	2		
					, .	
			* - * * * * * * * * * * * * * * * * * *		2 1	
Angel of the		* a 2				
				8		
		The state of the s				
van e		n n	a a n a a a			
				2 a 1 2		
			2 2			
				, a go g		
		INVOICE TOTAL	DISCOUNT TOTAL	PAID TOTAL	CUSTOM	ER NUMBER
REMITTAN	CE ADVICE	350.00	.00	350.00		



8010 Brewerton Rd Cicero, NY 13039 Phone: (315) 698-6808 SU2 - M&T BANK

10-4/220

DATE	CHECK
9/20/2019	222020

AMOUNT \$ 350.00

Pay Three Hundred Fifty Dollars and no/Cents

TO THE ORDER **TOWN OF CORTLANDVIILE** 3577 TERRACE ROAD CORTLAND, NY 13045



THE BACK OF THIS DOCUMENT CONTAINS CHECK SECURITY WATERMARK AND COIN REACTIVE

PROPOSED PARKING LOT MODIFICATIONS

3861 & 3845 WEST RD (NYS ROUTE 281) TOWN OF CORTLANDVILLE, NEW YORK

CORTLANDVILLE TOWN BOARD


CORTLANDVILLE TOWN BOARD

RICHARD C. TUPPER, SUPERVISOR TED TESTA, COUNCILOR JOHN C. PROUD, COUNCILOR DOUGLAS WITHEY, COUNCILOR RANDY ROSS, COUNCILOR

KRISTIN E. ROCCO-PETRELLA, RMC, TOWN CLERK

CORTLANDVILLE PLANNING BOARD

KATHERINE S. WICKWIRE, CHAIR LAIRD UPDYKE CHRISTOPHER B. NEWELL NASRIN PARVIZI NICHOLAS A. RENZI




	DRAWING INDEX		
Sheet No.	Sheet Title		
C-01	TITLE SHEET		
C-02	LEGEND & GENERAL NOTES		
C-03	EXISTING CONDITIONS & DEMOLITION PLAN		
C-04	LAYOUT PLAN		
C-05	LANDSCAPING PLAN		
C-06	LIGHTING & SIGNAGE PLAN		

SEPTEMBER 2019

OWNER:

USED CAR KING, LLC 8010 BREWERTON RD **CICERO, NY 13039**



TITLE SHEET

ABBREVIATIONS/ACRONYMS LEGEND ALGEBRAIC DIFFERENCE PROPOSED EXISTING AOBE AS ORDERED BY ENGINEER STORM SEWER BENCH MARK STORM SEWER CULVERT/PIPE END BVCE BEGIN VERTICAL CURVE ELEVATION BEGIN VERTICAL CURVE STATION BVCS UNDERDRAIN CATCH BASIN CB SANITARY SEWER CORRUGATED METAL PIPE CLEANOUT CONC CONCRETE CY CUBIC YARD OVERHEAD ELECTRIC DIAMETER UNDERGROUND ELECTRIC DIA DIAMETER UNDERGROUND TELEPHONE ELEV ELEVATION EST ESTIMATED UNDERGROUND CABLE EVCE END VERTICAL CURVE ELEVATION **EVCS** END VERTICAL CURVE STATION 1' CONTOUR LINE EΧ EXISTING 5' CONTOUR LINE FG FINISHED GRADE SPOT ELEVATION +120.56 FT FEET **GUTTER LINE** DITCH OR SWALE ~~ ~~ ~~ G۷ GAS VALVE PROPERTY LINE HDPE HIGH DENSITY POLYETHYLENE PERMANENT EASEMENT _____ HYD **HYDRANT** TEMPORARY CONSTRUCTION EASEMENT INCHES INVERT INV LENGTH SAWCUT PAVEMENT LANDSCAPED AREA CATCH BASIN LINEAR FEET MAXMAXIMUM MANHOLE MANHOLE FIRE HYDRANT MINIMUM WATER/GAS VALVE MPT MAINTENANCE & PROTECTION OF TRAFFIC MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES WATER SERVICE NOT IN CONTRACT UTILITY POLE NIAGARA MOHAWK POWER CORPORATION LIGHT POLE, LAMP POST NOT TO SCALE NYS NEW YORK STATE TELEPHONE PEDESTAL NEW YORK STATE DEPARTMENT OF TRANSPORTATION NYSDOT IRON ROD, PIN, OR PIPE OC ON-CENTER CONCRETE MONUMENT OCDOT ONONDAGA COUNTY DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MONUMENT OCWA ONONDAGA COUNTY WATER AUTHORITY OUTSIDE DIAMETER OD DIVERSION BOX POINT OF CURVATURE PC CONCRETE CURB POINT OF INTERSECTION ASPHALT PAVEMENT POINT OF TANGENCY GRAVEL PAVEMENT ΡVI POINT OF VERTICAL INTERSECTION TREES AND SHRUBS RCP REINFORCED CONCRETE PIPE RG ROAD GRADE VIEW MARKER DETAIL IDENTIFICATION ROW RIGHT-OF-WAY | 4 | PLAN SHEETS C-9 SHEET NO. WHERE DETAIL IS SHOWN ROUTE SIMILAR TO DETAIL IDENTIFICATION STA STATION TEL TELEPHONE DETAIL SHEETS TOP OF FRAME TYP TYPICAL UFP0 UNDERGROUND FACILITIES PROTECTIVE ORGANIZATION UNO UNLESS NOTED OTHERWISE UTIL UTILITY VERTICAL CURVE VITRIFIED CLAY PIPE WATER VALVE

GENERAL NOTES

- 1. BASE MAPPING PREPARED BY CONTROL POINT ASSOCIATED INC, P.C. DATED: JUNE 21, 2019.
- NORTH ORIENTATION AND CONTOURS ARE BASED ON GPS ESTABLISHED FROM PREVIOUS WORK PERFORMED IN THE AREA. REFERENCED TO NAD 83 (2011), NYS-CENTRAL (US FEET) AND NAVD 88 (US FEET) USING NYSDOT RTN SYSTEM. (REFERENCE CHA PROJECT #19646)
- 3. UNDERGROUND UTILITIES ARE SHOWN FROM FIELD LOCATION IF POSSIBLE, OTHERS ARE SHOWN FROM RECORD DATA. THEIR EXACT LOCATION MAY DIFFER FROM THAT AS SHOWN AND OTHERS MAY EXIST.
- 4. THE PREMISES SHOWN HEREON IS WITHIN ZONE "AE" (SPECIAL FLOOD HAZARD AREAS WITH BASE FLOOD ELEVATION). ACCORDING TO FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM FLOOD INSURANCE RATE MAP COMMUNITY PANELS NO. 36023C0227D & 36023C0229D, EFFECTIVE DATE: 03/02/2010.
- 5. THE PLANS SHOW KNOWN SUBSURFACE STRUCTURES, ABOVE-GROUND STRUCTURES AND/OR UTILITIES BELIEVED TO EXIST IN THE WORKING AREA, EXACT LOCATION OF WHICH MAY VARY FROM THE LOCATIONS INDICATED. IN PARTICULAR, THE CONTRACTOR IS WARNED THAT THE EXACT OR EVEN APPROXIMATE LOCATION OF SUCH PIPELINES, SUBSURFACE STRUCTURES AND/OR UTILITIES IN THE AREA MAY BE DIFFERENT FROM THAT SHOWN OR MAY NOT BE SHOWN, AND IT SHALL BE HIS RESPONSIBILITY TO PROCEED WITH GREAT CARE IN EXECUTING ANY WORK. TWO (2) DAYS BEFORE YOU DIG, DRILL, OR BLAST, CALL DIG SAFELY NEW YORK. 1-800-962-7962
- 6. THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE OWNER'S REPRESENTATIVE, IN WRITING, OF ANY CONDITIONS THAT VARY FROM THOSE SHOWN ON THE PLANS. THE CONTRACTOR'S WORK SHALL NOT VARY FROM THE PLANS WITHOUT THE EXPRESSED APPROVAL OF THE OWNER'S REPRESENTATIVE.
- 7. THE CONTRACTOR SHALL RESTORE LAWNS, DRIVEWAYS, CULVERTS, SIGNS AND OTHER PUBLIC OR PRIVATE PROPERTY DAMAGED OR REMOVED TO AT LEAST AS GOOD A CONDITION AS BEFORE BEING DISTURBED AS DETERMINED BY THE OWNER'S REPRESENTATIVE. ANY DAMAGED TREES, SHRUBS, AND/OR HEDGES SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE.
- 8. THE CONTRACTOR SHALL PROTECT EXISTING PROPERTY LINE MONUMENTATION. ANY MONUMENTATION DISTURBED OR DESTROYED, AS JUDGED BY THE OWNER'S REPRESENTATIVE OR OWNER, SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE UNDER THE SUPERVISION OF A NEW YORK STATE LICENSED LAND SURVEYOR.
- 9. IT IS THE CONTRACTOR'S RESPONSIBILITY TO EXAMINE ALL PLAN SHEETS AND SPECIFICATIONS. PRIOR TO COMMENCING CONSTRUCTION ACTIVITIES, CONTRACTOR SHALL NOTIFY THE OWNER'S REPRESENTATIVE IMMEDIATELY OF ANY ERRORS OR DISCREPANCIES.
- 10. CONTRACTOR SHALL MAINTAIN FLOW FOR ALL EXISTING UTILITIES, CULVERTS, AND DITCHES.
- 11. BEFORE CONSTRUCTING LINES TO CONNECT TO EXISTING UTILITIES OR UTILITIES INSTALLED UNDER OTHER CONTRACTS, VERIFY EXISTING UTILITY INVERTS AND NOTIFY OWNER'S REPRESENTATIVE IF ANY VARIATION FROM THE PLANS IS REQUIRED.
- 12. CONTRACTOR SHALL GRADE ALL AREAS ON THE SITE TO PROVIDE POSITIVE DRAINAGE TO OR FROM ANY CRITICAL POINTS.
- 13. THE CONTRACTOR SHALL EXERCISE CAUTION WHEN OPERATING CONSTRUCTION EQUIPMENT OVER NEW UTILITY TRENCHES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PLACING A MINIMUM OF TWO FEET OF COVER OVER UTILITY LINES PRIOR TO OPERATION OF TRACKED VEHICLES.
- 14. THE CONTRACTOR SHALL IMPLEMENT ALL EROSION CONTROL MEASURES IN STRICT ACCORDANCE WITH THE PLAN AND SCHEDULE SET OUT IN THESE PLANS AND THE DESIGN SPECIFICATIONS.
- 15. THE CONTRACTOR SHALL:
 A. VERIFY ALL CONDITIONS IN THE FIELD PRIOR TO COMMENCEMENT OF WORK AND
- NOTIFY THE OWNER AND OWNER'S REPRESENTATIVE OF ANY DISCREPANCIES.

 B. NOTIFY UFPO FOR UTILITY MARK-OUT AT LEAST TWO DAYS PRIOR TO BEGINNING CONSTRUCTION.
- C. EXAMINE THE SITE AND INCLUDE IN HIS/HER WORK THE EFFECT OF ALL EXISTING CONDITIONS ON THE WORK.
- D. PROVIDE AND INSTALL ALL MATERIALS AND PERFORM ALL WORK IN ACCORDANCE
- WITH RECOGNIZED GOOD STANDARD PRACTICE.

 E. HOLD THE OWNER HARMLESS AGAINST ANY AND ALL CLAIMS ARISING FROM WORK
- 16. ALL WORK SHALL BE DONE IN STRICT COMPLIANCE WITH ALL APPLICABLE NATIONAL,

DONE BY THE CONTRACTOR ON SITE.

AND INTENDED BY THE OWNER'S REPRESENTATIVE.

- STATE, AND LOCAL CODES, STANDARDS, ORDINANCES, RULES, AND REGULATIONS.


 17. THE OWNER'S REPRESENTATIVE RESERVES THE RIGHT TO EXAMINE ANY WORK DONE ON THIS PROJECT AT ANY TIME TO DETERMINE THE CONFORMANCE WITH THE REQUIREMENTS OF THE CONTRACT DOCUMENTS OF THIS PROJECT, AS INDICATED
- 18. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING AND INCURRING THE COST OF ALL REQUIRED PERMITS, INSPECTIONS, CERTIFICATES, ETC. AND SHALL COMPLY WITH ALL REQUIRED PERMITS.
- 19. ALL PROPOSED UTILITIES AND APPURTENANCES TO BE CONSTRUCTED IN COMPLIANCE WITH THE LOCAL MUNICIPALITIES' CODES AND REGULATIONS GOVERNING THE INSTALLATION OF SUCH UTILITIES.
- 20. THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONDUCTING EXPLORATORY TEST PITS AS REQUIRED TO DETERMINE UNDERGROUND CONDITIONS. THE CONTRACTOR SHALL CONDUCT TEST PITS AS REQUIRED FOR PERFORMANCE OF WORK AT THE CONTRACTOR'S EXPENSE.

- 21. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ALL FIELD LAYOUT. THE CONTRACTOR SHALL TAKE TIES TO ALL UTILITY CONNECTIONS AND PROVIDE MARKED-UP RECORD DRAWINGS FOR ALL UTILITIES SHOWING TIES TO CONNECTIONS, BENDS, VALVES, LENGTHS OF LINES, AND INVERTS. RECORD DRAWINGS SHOWING ALL UNDERGROUND UTILITIES INSTALLED OR ENCOUNTERED SHALL BE REVIEWED BY THE OWNER'S REPRESENTATIVE. THE CONTRACTOR SHALL PROVIDE ANY CORRECTIONS OR OMISSIONS TO THE SATISFACTION OF THE OWNER'S REPRESENTATIVE BEFORE UTILITIES WILL BE ACCEPTED.
- 22. ALL UTILITY WORK INVOLVING CONNECTIONS TO EXISTING SYSTEMS SHALL BE COORDINATED WITH THE OWNER'S REPRESENTATIVE AND THE UTILITY OWNER. NOTIFY THE OWNER'S REPRESENTATIVE AND THE UTILITY OWNER 72 HOURS BEFORE EACH AND EVERY CONNECTION TO EXISTING SYSTEMS IS MADE. CONTRACTOR SHALL BE REQUIRED TO NOTIFY PROPERTY OWNERS, IN WRITING, 72 HOURS IN ADVANCE OF ANY INTERRUPTION IN UTILITY SERVICES.
- 23. THE CONTRACTOR SHALL TAKE CARE TO PREVENT DAMAGE TO ANY UTILITIES, ESPECIALLY WHEN OPERATING EQUIPMENT NEAR UTILITY LINES. DAMAGED UTILITIES SHALL BE IMMEDIATELY REPAIRED BY CONTRACTOR AT THE CONTRACTOR'S EXPENSE.
- 24. ALL FRAMES/COVERS, CASTINGS, VALVE BOXES, ETC. WITHIN PAVED AREAS SHALL HAVE THE TOPS SET 0.1' BELOW THE FINAL PAVEMENT GRADE. IN ALL LANDSCAPED AND GRASS AREAS, ALL FRAMES SHALL BE 0.1' ABOVE GRADE.
- 25. ALL TRENCH EXCAVATION AND ANY REQUIRED SHEETING AND SHORING SHALL BE DONE IN ACCORDANCE WITH THE LATEST REVISIONS OF NEW YORK STATE INDUSTRIAL CODE RULE 23 AND OSHA REGULATIONS FOR CONSTRUCTION. SHEET PILING SHALL BE DESIGNED AND SEALED BY A NEW YORK STATE PROFESSIONAL ENGINEER.
- 26. CONTRACTOR SHALL BE RESPONSIBLE FOR DEWATERING AND THE MAINTENANCE OF SURFACE DRAINAGE DURING THE COURSE OF THE WORK. THE CONTRACTOR SHALL SUBMIT A DEWATERING PLAN DESIGNED AND SEALED BY A NEW YORK STATE PROFESSIONAL ENGINEER. THE CONTRACTOR SHALL MAINTAIN EXISTING SITE DRAINAGE PATTERNS THROUGHOUT CONSTRUCTION.
- 27. ALL SITE FILL SHALL BE PLACED IN ACCORDANCE WITH THE PLANS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- 28. ALL BACKFILL USED IN TRENCHES EXCAVATED IN EXISTING ROADWAYS SHALL BE RUN OF CRUSHER HARD DURABLE LIMESTONE AND PLACED IN MAXIMUM 6-INCH LIFTS AND COMPACTED BY MEANS OF A MECHANICAL COMPACTOR BETWEEN LIFTS.
- 29. ALL BACKFILL MATERIALS LOCATED UNDER PROPOSED PAVEMENT ARE REQUIRED TO BE COMPACTED 95% OF MODIFIED PROCTOR DENSITY VALUE AS PER ASTM D-1157.
- 30. WHEN BACKFILLING AROUND PROPOSED OR EXISTING STRUCTURES, MATERIAL SHALL BE PLACED IN MAXIMUM 6-INCH LIFTS AND COMPACTED BY MEANS OF A MECHANICAL COMPACTOR BETWEEN LIFTS.
- 31. PERMANENT OR TEMPORARY PAVEMENT SHALL BE PLACED WITHIN 48 HOURS OF THE COMPLETION OF BACKFILL OPERATIONS WITHIN THE PAVEMENT AREAS.
- 32. CONTRACTOR SHALL MAINTAIN ALL TRAFFIC IN AREAS IN ACCORDANCE WITH THE NYSDOT "MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES," AND SECTION 619 OF NYSDOT'S STANDARD SPECIFICATIONS. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING ALL WORK, LANE CLOSURES, AND DISRUPTIONS WITH THE OWNER AND OTHER GOVERNING OR APPLICABLE AGENCIES.
- 33. CONTRACTOR SHALL MAINTAIN ACCESS TO ALL COMMERCIAL, RESIDENTIAL, AND PUBLIC PROPERTIES WHENEVER POSSIBLE AND/OR AS DIRECTED BY THE OWNER'S REPRESENTATIVE.
- 34. ALL DRIVEWAYS AND SIDE STREETS SHALL BE MADE ACCESSIBLE BY THE CONTRACTOR AT THE END OF EACH DAY THAT WORK IS PERFORMED. ALL EXCAVATIONS SHALL BE BACKFILLED TO EXISTING GRADE AT THE END OF EACH WORK
- 35. THE CONTRACTOR IS TO EXERCISE ALL POSSIBLE CAUTION WHILE WORKING IN THE VICINITY OF EXISTING TREES. ANY DAMAGE TO TREES DURING CONSTRUCTION ACTIVITIES IS THE RESPONSIBILITY OF THE CONTRACTOR.
- 36. MISCELLANEOUS WORK NOT SPECIFICALLY SHOWN ON THE CONTRACT DRAWINGS SUCH AS PATCHING, BLOCKING, TRIMMING, ETC, SHALL BE PERFORMED BY THE CONTRACTOR TO MAKE THE WORK COMPLETE.
- 37. ALL ROADS SHALL BE KEPT CLEAN OF DEBRIS AT ALL TIMES. CLEAN AND SWEEP ALL EXISTING AND NEW PAVEMENTS AND/OR LANES AS PART OF THIS PROJECT PRIOR TO OPENING TO TRAFFIC AND AT THE END OF THE DAY FOR EACH CONSTRUCTION
- 38. MATERIALS, EQUIPMENT AND VEHICLES ARE NOT TO BE STORED OR PARKED WITHIN ANY HIGHWAY RIGHT-OF-WAY.



D CAR KING, LLC BREWERTON RD ERO, NY 13039

USED 8010 B CICE



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT OR LAND SURVEYOR TO ALTER AN ITEM IB ANY WAY. IF AN ITEM BEARING THE STAMP OF A LICENSED PROFESSIONAL IS ALTERED, THE ALTERING ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT OR LAND SURVEYOR SHALL STAMP THE DOCUMENT AND INCLUDE THE NOTATION "ALTERED BY" FOLLOWED BY THEIR SIGNATURE, THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESCRIPTION OF THE ALTERATION.

OPOSED PARKING LOT MODIFICATIONS

wn of Cortlandville Submittal


JFT AMV 09/26/19

GENERAL NOTES


Designed By: Drawn By: Checked By:
AMV AMV JFT

Issue Date: Project No: Scale:
9/26/19 58214 AS SHOWN


Drawing No.:




Drawn By: Checked By 58214 AS SHOWN







USED CAR KING, LLC 8010 BREWERTON RD CICERO, NY 13039




IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT OR LAND SURVEYOR TO ALTER AN ITEM IN ANY WAY, IF AN ITEM BEARING TH STAMP OF A LICENSED PROFESSIONAL IS ALTERED, THE ALTERING ENGINEER, ARCHITECT, CHANDSCAPE ARCHITECT, OR LAND SURVEYOR SHALL STAMP THE DOCUMENT AND INCLUDE THE NOTATION "ALTERED BY" FOLLOWED BY THEIR SIGNATURE, THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESCRIPTION OF THE ALTERATION.

RKING |


LAYOUT PLAN

Designed By:	Drawn By:	Checked By:
AMV	AMV	JFT
Issue Date:	Project No:	Scale:
9/26/19	58214	AS SHOWN



Drawing Copyright © 2019


300 South State Street, Suite 600
Syracuse, NY 13202-4712



40 Scale in feet

> ED CAR KING, LLC BREWERTON RD CERO, NY 13039

USED 8010 BI



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT OR LAND SURVEYOR TO ALTER AN ITEM IN ANY WAY. IF AN ITEM BEARING THE STAMP OF A LICENSED PROFESSIONAL IS ALTERED, THE ALTERING ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT OR LAND SURVEYOR SHALL STAMP THE DOCUMENT AND INCLUDE THE NOTATION "ALTERED BY" FOLLOWED BY THEIR SIGNATURE, THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESCRIPTION OF THE ALTERATION.

PROPOSED PARKING LOT MODIFICATIONS

tension App'd. By Date PRO standville Submittal JFT AMV 09/26/19

LANDSCAPING PLAN

igned By: Drawn By: Checked By:
AMV JFT

ue Date: Project No: Scale:
/26/19 58214 AS SHOWN

Drawing No.:

